

INSECT CONTROL SYSTEM

© MFL ; WORLD PEST SERVICE © HOTMFL.COM

Flying Insect Control With

UP TECH UP 20 D-AC-G

Electronic insect control plus
high attraction glue board HACCP

NIST TRACEABLE

Industrial Series

For all types of industrial areas, food processing Center
including shops, kitchens, supermarket, hotel,
Restaurants and packaging plants etc.



THE INSECT CONTROL SYSTEM

Attracts many kinds of flying insects. Any insect attracted to blue ultra violet black light is a potential victim to the trap. It has been developed in order that the blue UV black light is reflected from the glue board. This concept of reflected light has shown to be more effective in attracting flying insects than previous methods. Install near areas where flying insects are seen or where it is possible for them to enter. For control of the house fly it is best to mount the trap 500 to 1600 mm. Above the floor.


DOUBLE EFFECTIVENESS

Flytrap works in two ways. It combines the high Attraction of the lamp tube together with the reflected Light from the glue board in attracting significantly More insects than previous flykillers.

UP TECH UP 20 D-AC-G

TECHNICAL SPECIFICATION

- Manufactured from high quality stainless steel.
- Electronic insect control plus high attraction glue board.
- Easy, tool - free maintenance.
- With sefty switch, automatic shut off when receiving tray has been removed
- Ceiling suspended or free standing
- Coverage : 150 square meters
- Insect alluring lamp : TL20W/ACTINIC BL 2x20 watts.
- Power transformer AC. 3000 volt 7-9 ma.
- Size (W x L x H) : 643 x 315 x 140 mm.
- Glue board size (W x L) : 100 mm. x 600 mm.
- Weight : 8.5 Kgs.
- Power cord : 120 cm.
- Power source : 220 v.50 Hz.
- Accessories : glue board 6 pcs.



เครื่องล่อและกำจัดแมลงยี่ห้อ UP TECH รุ่น UP-20 D-AC-G

เป็นเครื่องกำจัดแมลงที่ออกแบบสำหรับแมลง ซึ่งมีปีกบินชนิดต่างๆ โดยระบบอิเล็กทรอนิกส์พร้อมด้วยหลอดไฟ BLACK LIGHT ULTRA VIOLET ซึ่งไม่เป็นอันตรายต่อผู้ใช้และผู้ใกล้ชิดร่วมกับระบบการ ซึ่งมีความเหนียวเป็นพิเศษ และไม่เป็นพิษต่อสิ่งแวดล้อม (SPECIAL ADHESIVE TAPE) เหมาะสำหรับอุตสาหกรรมด้านอาหาร, ห้องอาหาร, ห้องครัวและโรงงานที่ต้องการความสะอาดเป็นพิเศษ

รายละเอียดของเครื่อง

- ตัวเครื่องทำจากสแตนเลสสตีล
- สะดวกต่อการทำความสะอาด, การเปลี่ยนแผ่นกาวโดยไม่ต้องใช้เครื่องมือ
- มีระบบตัดไฟฟ้าอัตโนมัติเมื่อถึงกาวแผ่นกาวออก
- ตัวเครื่องมีขนาดกว้าง 643 มม. สูง 315 มม. ลึก 140 มม.
- หลอดไฟ BLACK LIGHT ULTRA VIOLET ขนาด 20 วัตต์ สองหลอด
- แผ่นกาวขนาดกว้าง 100 มม. ยาว 600 มม. เคลือบด้วยกาวชนิดพิเศษ
- ไฟฟ้าแรงสูงสำหรับช็อตแมลง 3,000 V.AC 7-9 MA.
- ควบคุมพื้นที่ 150 ตรม.
- สายปลั๊กยาว 120 มม.
- พร้อมด้วยแผ่นกาว 6 แผ่น
- น้ำหนัก 8.5 กก.
- ใช้ไฟฟ้า 220 โวลต์, 50 ไซเคิล

อุปกรณ์เสริม

SHATTERPROOF LAMPS FOR "GLASS - FREE" AREAS


OPTION

SHATTERPROOF LAMPS FOR
"GLASS-FREE" AREAS.

filthy fly

Say goodbye to the

ELECTRONIC CONTROL SYSTEM



PROTECT CUSTOMERS PREMISES AND PROFITS WITH ELECTRONIC INSECT CONTROL

**MODEL UP 20 DAC
MODEL UP 20 D**

INDUSTRIAL SERIES

For all types of industrial areas, food processing center including shops, kitchens, supermarket, hotel, restaurants and packaging plants etc.

Powerful Indoor Flying Insect Control Equipment for Commercial and Industrial Application

ALL UNITS HAVE AN APPROVED HIGH VOLTAGE POWER SUPPLY FOR THE INSECT KILLING GRID

HYGIENIC - APPROVED OF BY HEALTH AUTHORITIES

Because no chemicals are employed units are pollution free. Flying insects have no immunity to electrocution as they do from regular exposure to insecticide sprays. The flies do not fly away to die and subsequently contaminate food. Surfaces and machinery as can occur with sprays. And no unsightly results results as with fly laden pest strips.

UP 20 SERIES IS MADE OF THE STAINLESS STEEL MODEL AND ZINTEC STEEL. WHITE POWER COATING FINISH MODEL. FOR STRENGTH AND DURABILITY. 1 YEAR GUARANTEE, EXCLUDING LAMP.

TECHNICAL SPECIFICATION

MODEL	APPROX AREA OF COVERAGE	LAMPS	POWER TRANSFORMER	SIZE (mm.)	WEIGHT
UP 20 D	150/170 SqM.	2 X 20 WATT	DC 8000 Volts, 15 mA	615 x 320 x 130	8 Kg.
UP 20 DAC	150/170 SqM.	2 X 20 WATT	AC 3000 Volts, 7-9 mA	615 x 370 x 130	8 Kg.

OPTION

SHATTERPROOF LAMPS FOR "GLASS - FREE" AREAS.

เครื่องล่อและกำจัดแมลง รุ่น UP-20 DAC และรุ่น UP 20 D

- เป็นเครื่องดักแมลงที่ออกแบบสำหรับแมลงที่มีปีกบินชนิดต่างๆ โดยใช้ระบบอิเล็กทรอนิกส์ และหลอด BLACK LIGHT ULTRA VIOLET ซึ่งไม่เป็นอันตรายต่อผู้ใช้ และไม่ทำให้สิ่งแวดล้อมเป็นพิษ เหมือนกับการใช้ยาฆ่าแมลงทั่วไป และเสียค่าใช้จ่ายน้อยกว่าการกำจัดแมลงโดยวิธีอื่น โดยเครื่องนี้กินกระแสไฟฟ้าเพียง 15 mA เท่านั้น
- ป้องกันการแพร่กระจายของเชื้อโรคและสิ่งสกปรกต่างๆ ที่แมลงเป็นพาหนะนำโรค ซึ่งเป็นวิธีที่ถูกสุขอนามัยที่สุดและเป็นที่ยอมรับอย่างแพร่หลายในองค์การอนามัยทั่วโลก
- เหมาะสำหรับใช้ภายในอาคารสถานที่ต่างๆ เช่น โรงงานอุตสาหกรรม, กิจการห้องเย็น, โรงพยาบาล, โรงแรม, กิจการอาหาร, สรรพ, สนามกีฬา, และโรงงานอุตสาหกรรมทางด้านการอาหารและเครื่องดื่มโดยทั่วไป
- โลหะผลิตตัวเครื่องมีสองชนิดให้เลือก คือ ทำด้วย STAINLESS STEEL และชนิดทำด้วยโลหะชุบ และเคลือบด้วยสีฝุ่น POWDER COATING ทนความร้อนสูง 200 องศาเซลเซียสแข็งแรงทนทาน ไม่เป็นสนิม

รายละเอียด


รุ่น	ครอบคลุมพื้นที่	ขนาดหลอดไฟ	ทรานส์ฟอเมอร์	ขนาดเครื่อง (มม.)	น้ำหนัก
UP 20 D	150/170 ตร.ม.	2 X 20 วัตต์	ต.บ. 8000 Volts, 15 mA	615 x 320 x 130	8 กก.
UP 20 DAC	150/170 ตร.ม.	2 X 20 วัตต์	ต.บ. 3000 Volts, 7-9 mA	615 x 370 x 130	8 กก.

อุปกรณ์เสริม

SHATTERPROOF LAMPS FOR "GLASS - FREE" AREAS



INSECT CONTROL SYSTEM



THE INSECT CONTROL SYSTEM

Attracts many kinds of flying insects. Any insect attracted to blue ultra violet black light is a potential victim to the trap. It has been developed in order that the blue UV black light is reflected from the glue board. This concept of reflected light has shown to be more effective in attracting flying insects than previous methods. Install near areas where flying insects are seen or where it is possible for them to enter. For control of the house fly it is best to mount the trap 500 to 1600 mm. Above the floor.

DOUBLE EFFECTIVENESS

Flytrap works in two ways. It combines the high Attraction of the lamp tube together with the reflected Light from the glue board in attracting significantly More insects than previous flykillers.

UP TECH UP 9 D-AC-G TECHNICAL SPECIFICATION

- Manufactured from high quality stainless steel.
- Electronic insect control plus high attraction glue board.
- Easy, tool - free maintenance.
- With sefty switch, automatic shut off when receiving tray has been removed.
- Ceiling suspended or free standing
- Coverage : 90 square meters
- Insect alluring lamp : PL-S9W/10/2P, 2x 9 watts.
- Power transformer AC. 3000 volt 7-9 ma.
- Size (W x L x H) : 400 x 140 x 315 mm.
- Glue board size (W x H) : 100 x 370 mm.
- Weight : 6.5 Kgs.
- Power cord : 120 cm.
- Power source : 220 v.50 Hz.
- Accessories : glue board 6 pcs.

OPTION

SHATTERPROOF LAMPS FOR "GLASS-FREE" AREAS


Flying Insect Control With

UP TECH UP 9 D-AC-G

Electronic insect control plus
high attraction glue board HACCP

NIST TRACEABLE

For all types of industrial areas, food processing Center including shops, kitchens, supermarket, hotel, Restaurants and packaging plants etc.



เครื่องล่อและกำจัดแมลงยี่ห้อ UP TECH รุ่น UP-9 D-AC-G

เป็นเครื่องกำจัดแมลงที่ออกแบบสำหรับแมลงที่มีปีกบินชนิดต่างๆ โดยระบบอิเล็กทรอนิกส์พร้อมด้วยหลอดไฟ BLACK LIGHT ULTRA VIOLET ซึ่งไม่เป็นอันตราย ต่อผู้ใช้และผู้ใกล้ชิดร่วมกับระบบการ ซึ่งมีความเหนียวเป็นพิเศษ และไม่เป็นพิษต่อสิ่งแวดล้อม (SPECIAL ADHESIVE TAPE) เหมาะสำหรับอุตสาหกรรมด้านอาหาร, ห้องอาหาร, ห้องครัวและโรงงานที่ต้องการความสะอาดเป็นพิเศษ

รายละเอียดของเครื่อง

- ตัวเครื่องทำจากสแตนเลสตีเกล็ด
- สะดวกต่อการทำความสะอาด, การเปลี่ยนแผ่นการโดยไม่ต้องใช้เครื่องมือ
- มีระบบตัดไฟฟ้าอัตโนมัติ เมื่อถึงขีดแผ่นการออก
- ตัวเครื่องมีขนาดกว้าง 400 มม. สูง 315 มม. ลึก 140 มม.
- หลอดไฟ BLACK LIGHT ULTRA VIOLET ขนาด 9 วัตต์ สองหลอด
- แผ่นการขนาดกว้าง 100 มม. ยาว 370 มม. เคลือบด้วยกาวชนิดพิเศษ
- ไฟฟ้าแรงสูงสำหรับช็อตแมลง 3,000 V.AC 7-9 MA.
- ควบคุมพื้นที่ 90 ตรม.
- สายปลั๊กยาว 120 มม.
- พร้อมด้วยแผ่นการ 6 แผ่น
- น้ำหนัก 6.5 กก.
- ใช้ไฟฟ้า 220 โวลท์, 50 ไซเคิล

อุปกรณ์เสริม

SHATTERPROOF LAMPS FOR "GLASS - FREE" AREAS

insect

**CONTROL
SYSTEM**



Flying Insect Control With
UP 20GS
High Attraction Glue Board

HACCP
NIST TRACEABLE
INDUSTRIAL SERIES

For all types of industrial areas, food processing center including shops, kitchens, supermarket, hotel, restaurants and packaging plants etc.

THE INSECT CONTROL SYSTEM

Attracts many kinds of flying insects. Any insect attracted to blue ultra violet black light is a potential victim to the trap. It has been developed in order that the blue UV black light is reflected from the glue board. This concept of reflected light has shown to be more effective in attracting flying insects than previous methods. Install near areas where flying insects are seen or where it is possible for them to enter. For control of the house fly it is best to mount the trap 500 to 1600 mm. above the floor.

DOUBLE EFFECTIVENESS

Flytrap works in two ways. It combines the high attraction of the UV tube together with the reflected light from the glue board in attracting significantly more insects than previous flykillers.

TECHNICAL SPECIFICATION

- Manufactured from high quality stainless steel.
- High attraction glue board.
- Easy, tool - free maintenance.
- Ceiling suspended or free standing
- Coverage : 120 square meters
- Insect alluring lamp : TL20W/03 2 x 20 watts.
- Size (W x L x H) : 655 x 335 x 145 mm.
- Glue board size (W x H) : 520 x 190 mm.
- Weight : 7 Kgs.
- Power cord : 120 cm.
- Power source : 220 v.50 Hz.
- Accessories : glue board 6 pcs.

OPTION

SHATTERPROOF LAMPS FOR "GLASS-FREE" AREAS.

เครื่องล่อและกำจัดแมลง รุ่น UP-20 GS

เป็นเครื่องกำจัดแมลงที่ออกแบบสำหรับแมลงซึ่งมีปีกบินชนิดต่างๆ โดยระบบหลอดไฟ BLACK LIGHT ULTRA VIOLET ซึ่งไม่เป็นอันตรายต่อพืชและฟรุ๊กลีซัดร่วมกับระบบการ ซึ่งมีความเหนียวเป็นพิเศษ และไม่เป็นพิษต่อสิ่งแวดล้อม (SPECIAL ADHESIVE TAPE) เหมาะสำหรับอุตสาหกรรมด้านอาหาร, ห้องอาหาร, ห้องครัวและโรงงานที่ต้องการความสะอาดเป็นพิเศษ

รายละเอียดของเครื่อง

- ตัวเครื่องทำจากสแตนเลส สตีล
- สะดวกต่อการทำความสะอาด, การเปลี่ยนแผ่นทาวและเปลี่ยนหลอดโดยไม่ต้องใช้เครื่องมือ
- ตัวเครื่องมีขนาดกว้าง 655 มม. สูง 335 มม. ลึก 145 มม.
- หลอดไฟ BLACK LIGHT ULTRA VIOLET ขนาด 20 วัตต์ สองหลอด
- แผ่นทาวขนาดกว้าง 190 มม. ยาว 520 มม. เคลือบด้วยทาวชนิดพิเศษทั้งสองด้าน
- ควบคุมพื้นที่ 150 ตรม.
- สายปลั๊กยาว 120 มม.
- พร้อมด้วยแผ่นทาว 6 แผ่น
- น้ำหนัก 7 กก.
- ใช้ไฟฟ้า 220 โวลต์, 50 ไซเคิล

อุปกรณ์เสริม

SHATTERPROOF LAMPS FOR
"GLASS - FREE" AREAS

